Electroencephalography and clinical Neurophysiology, 80 (1991) 589–591

© 1991 Elsevier Scientific Publishers Ireland, Ltd. 0168-5597/91/$03.50

Table of Contents

VOLUME 80 (EP), 1991

MAIN ARTICLES

N70 and P100 can be independently affected in multiple sclerosis
M.F. Ghilardi, F. Sartucci, J.R. Brannan, M.C. Onofrj, I. Bodis-Wollner, L. Mylin and R. Stroch (U.S.A., Italy) 1
The development of auditory and visual evoked potentials in early treated phenylketonuric children
F. Cardona, V. Leuzzi, I. Antonozzi, P. Benedetti and A. Loizzo (Italy) 8
Pre-stimulus spectral EEG patterns and the visual evoked response
M.E. Brandt, B.H. Jansen and J.P. Carbonari (U.S.A.) 16
Somatosensory evoked potential recovery (SEP-R) in myoclonic patients
Y. Ugawa, K. Genba, T. Shimpo and T. Mannen (Japan) 21
Interactions of somatosensory evoked potentials: simultaneous stimulation of two nerves
Y. Okajima, N. Chino, E. Saitoh and A. Kimura (Japan) 26
Cortical somatosensory potentials evoked by magnetic stimulation: effect of body height, age, and stimulus intensity
S. Tsuji and Y. Murai (Japan) 32
Estimation of conduction velocity of the spino-thalamic tract in man
R. Kakigi and H. Shibasaki (Japan) 39
Late pain-related magnetic fields and electric potentials evoked by intracutaneous electric finger stimulation
J. Joseph, E.W. Howland, R. Wakai, M. Backonja, O. Baffa, F.M. Potenti and C.S. Cleeland (U.S.A.) 46
Gender differences in source location for the N100 auditory evoked magnetic field
S.B. Baumann, R.L. Rogers, F.C. Guinto, C.L. Saydjari, A.C. Papanicolaou and H.M. Eisenberg (U.S.A.) 53
The effect of click rate on latency and interpeak interval of the brain-stem auditory evoked potentials in children from birth to 6 years
Z.D. Jiang, Y.Y. Wu, W.S. Zheng, D.K. Sun, L.Y. Feng and X.Y. Liu (People's Rep. of China) 60
Visual 'cognitive' evoked potentials in the behaving monkey
A. Glover, M.F. Ghilardi, I. Bodis-Wollner, M. Onofrj and L.H. Mylin (U.S.A.) 65
Evoked potentials recorded from brain-stem nuclei in awake cat: interaction of tone bursts and continuous tone
G.M. Gerken (U.S.A.) 73
Effect of spatial frequency on simultaneous recorded steady-state pattern electroretinograms and visual evoked potentials
H. Tomoda, G.G. Celesia and S. Cone Toleikis (U.S.A.) 81
Clinical relevance of phase of steady-state VEPs to P100 latency of transient VEPs
S. Tobimatsu, S. Tashima-Kurita, M. Nakayama-Hiromatsu and M. Kato (Japan) 89
Somatosensory evoked potentials in neonates and infants: developmental and normative data
S.R. George and M.J. Taylor (Canada) 94
Evoked potentials in a man with a complete large myelinated fibre sensory neuropathy below the neck
J.D. Cole and H.A. Katifi (U.K.) 103
Adaptive Fourier series modeling of time-varying evoked potentials: study of human somatosensory evoked response to etomidate anesthetic
N.V. Thakor, C.A. Vaz, R.W. McPherson and D.F. Hanley (U.S.A.) 108
Short latency trigeminal evoked potentials: normative data and clinical correlations
J.F. Soustiel, M. Feinsod and H. Hafner (Israel) 119
Distribution of lumbar spinal evoked potentials and their correlation with stimulation-induced paresthesiae
Y.T. Hallström, U. Lindblom and B.A. Meyerson (Sweden) 126
Short and middle latency vestibular evoked responses to acceleration in man
J. Elidan, E. Leibner, S. Freeman, M. Sela, M. Nitzan and H. Sohmer (Israel) 140
Scalp potentials following sudden coherence and discoherence of binaural noise and change in the inter-aural time difference: a specific binaural evoked potential or a "mismatch" response?
S.J. Jones, J.R. Pitman and A.M. Halliday (U.K.) 147
Effect of check size on the pattern reversal visual evoked potential
S. Kurita-Tashima, S. Tobimatsu, M. Nakayama-Hiromatsu and M. Kato (Japan) 161
Mapped distribution of pattern reversal VEPs to central field and lateral half-field stimuli of different spatial frequencies
M. Onofrj, S. Bazzano, G. Malatesta and T. Fulgente (Italy) 167
The extrastriate generators of the EP to checkerboard onset. A source localization approach
P. Ossenblok and H. Spekreijse (The Netherlands) 181
Optimal smoothing of coherence estimates
R.A. Dobie and M.J. Wilson (U.S.A.) 194
Mapping study of somatosensory evoked potentials during selective spatial attention
L. García-Larrea, H. Bastuji and F. Mauguière (France) 201

Direct recording of somatosensory evoked potentials in the vicinity of the dorsal column nuclei in man: their generator mechanisms and contribution to the scalp far-field potentials
T. Morioka, F. Shima, M. Kato and M. Fukui (Japan) 215
Origin and distribution of brain-stem somatosensory evoked potentials in humans
T. Morioka, S. Tobimatsu, K. Fujii, M. Fukui, M. Kato and T. Matsubara (Japan) 221
Bit-mapped imaging of somatosensory evoked potentials after stimulation of the posterior tibial nerves and dorsal nerve of the penis/clitoris
J.M. Guérit and R.J. Opsomer (Belgium) 228
The effect of the phase of prestimulus alpha activity on the averaged visual evoked response
B.H. Jansen and M.E. Brandt (U.S.A.) 241
Alteration of SEP topography in Huntington's patients and their relatives at risk
T. Yamada, R.L. Rodnitzky, S. Kameyama, H. Matsuoka and J. Kimura (U.S.A.) 251
A prospective 1 year follow-up study with somatosensory potentials evoked by stimulation of the posterior tibial nerve in patients with supratentorial cerebral infarction
T. Kovala, U. Tolonen and J. Pyhtinen (Finland) 262
Serial changes in somatosensory evoked potentials following cerebral infarction
R.A.L. Macdonell, G.A. Donnan and P.F. Bladin (Australia) 276
Laser-evoked brain potentials in patients with dissociated loss of pain and temperature sensibility
B. Bromm, A. Frieling and J. Lankers (F.R.G.) 284
Clinical correlates of brain-stem auditory evoked potential variables in multiple sclerosis. Relation to click polarity
T. Sand (Norway) 292
Wave III of brain-stem auditory evoked potentials analysed both with 3-channel Lissajous' trajectory and dipole localization method
J. Paquereau, P. Ingrand and A. Marillaud (France) 298
Midlatency auditory evoked responses: differential effects of a cholinergic agonist and antagonist
J.S. Buchwald, E.H. Rubinstein, J. Schwafel and R.J. Strandburg (U.S.A.) 303
Laminar analysis of the origin of the various components of evoked potentials in slices of rat sensorimotor cortex
S. Abbes, J. Louvel, M. Lamarche and R. Pumain (France) 310
Dipole source localization in the study of EP generators: a critique
A.Z. Snyder (U.S.A.) 321
Three-dimensional human pattern visual evoked potentials. I. Normal subjects
V.L. Towle, J.C. Witt, T. Ohira, R. Munson, S.H. Nader and J.-P. Spire (U.S.A.) 329
Three-dimensional human pattern visual evoked potentials. II. Multiple sclerosis patients
V.L. Towle, J.C. Witt, S.H. Nader, A.T. Reder, R. Foust and J.-P. Spire (U.S.A.) 339
Effects of scopolamine on visual evoked potentials in aging and dementia
P.G. Ray, K.J. Meador, D.W. Loring, A.M. Murro, J.J. Buccafusco, X.H. Yang, E.Y. Zamrini, W.O. Thompson and E.E. Thompson (U.S.A.) 347
SEP testing in deeply comatose and brain dead patients: the role of nasopharyngeal, scalp and earlobe derivations in recording the P14 potential
W. Wagner (F.R.G.) 352
Middle-latency somatosensory evoked potentials following median and posterior tibial nerve stimulation in Down's syndrome
R. Kakigi and H. Shibasaki (Japan) 364
Nerve, spinal cord and brain somatosensory evoked responses: a comparative study during electrical and magnetic peripheral nerve stimulation
F. Zarola and P.M. Rossini (Italy) 372
Comparison of somatosensory evoked potentials recorded from the scalp and dorsal column nuclei to upper and lower limb stimulation in the rat
C.N. Sen and A.R. Møller (U.S.A.) 378
Effect of hyperthermia on somatosensory evoked potentials in the anaesthetized rat
G.D. Panjwani, M.K.Y. Mustafa, A. Muhailan, I.S. Aneja and A. Owunwanne (Kuwait) 384
Brain-stem auditory evoked potentials and brain death
C. Machado, P. Valdés, J. García-Tigera, T. Virues, R. Biscay, J. Miranda, P. Coutin, J. Román and O. García (Cuba) 392
Memory-dependent auditory evoked potentials to change in the binaural interaction of noise signals
S.J. Jones (U.K.) 399
Neuromagnetic responses elicited by auditory stimuli in dichotic listening
S. Kuriki and F. Takeuchi (Japan) 406
Differential impact of hypothermia and pentobarbital on brain-stem auditory evoked responses
R. Janssen, B.E. Hetzler, J.P. Creason and R.S. Dyer (U.S.A.) 412
Auditory brain-stem evoked potentials in cat after kainic acid induced neuronal loss. I. Superior olivary complex
M. Zaaroor and A. Starr (U.S.A.) 422
Auditory brain-stem evoked potentials in cat after kainic acid induced neuronal loss. II. Cochlear nucleus
M. Zaaroor and A. Starr (U.S.A.) 436
P300 variations in parkinsonian patients before and during dopaminergic monotherapy: a suggested dopamine component in P300
P. Stanzione, F. Fattapposta, P. Giunti, C. D'Alessio, M. Tagliati, C. Affricano and G. Amabile (Italy) 446
Cerebral magnetic fields to lingual stimulation
J. Karhu, R. Hari, S.-T. Lu, R. Paetau and J. Rif (Finland) 459
Sensorimotor central conduction time in comatose patients
E. Facco, F. Baratto, M. Munari, B. Donà, M. Casartelli Liviero, A.U. Behr and G.P. Giron (Italy) 469

The human cervical and lumbo-sacral evoked electrospinogram. Data from intra-operative spinal cord surface recordings
D. Jeanmonod, M. Sindou and F. Mauguière (France) 477
Cerebral evoked potentials after rectal stimulation
V. Loening-Baucke, N.W. Read and T. Yamada (U.S.A., U.K.) 490
Nasopharyngeal recordings of somatosensory evoked potentials document the medullary origin of the N18 far-field
C. Tomberg, J.E. Desmedt, I. Ozaki and P. Noël (Belgium) 496
Right or left ear reference changes the voltage of frontal and parietal somatosensory evoked potentials
C. Tomberg, J.E. Desmedt and I. Ozaki (Belgium) 504
SEPs to finger joint input lack the N20-P20 response that is evoked by tactile inputs: contrast between cortical generators in areas 3b and 2 in humans
J.E. Desmedt and I. Ozaki (Belgium) 513
Gating of the early components of the frontal and parietal somatosensory evoked potentials in different sensory-motor interference modalities
G. Cheron and S. Borenstein (Belgium) 522
Recovery functions of somatosensory vertex potentials in man: interaction of evoked responses from right and left fingers
Y. Okajima, N. Chino, E. Saitoh and A. Kimura (Japan) 531
SEPs in two patients with localized lesions of the postcentral gyrus
M. Sonoo, T. Shimpo, K. Takeda, K. Genba, I. Nakano and T. Mannen (Japan) 536
Changes in BAEP under hypoglycemia: temperature-related?
J.D. Durrant, J.E. Gerich, A. Mitrakou, T. Jenssen and R.J. Hyre (U.S.A.) 547
Tetrahedral recording of 3-D BAEPs: evidence for the centered dipole model
J.C. Witt, V.L. Towle, J. Bolaños and J.-P. Spire (U.S.A.) 551
P3 responses to prosodic stimuli in adult autistic subjects
R. Erwin, D. Van Lancker, D. Guthrie, J. Schwafel, P. Tanguay and J.S. Buchwald (U.S.A.) 561
The effects of digital filtering on feline auditory brain-stem evoked potentials
H. Pratt, N. Bleich, M. Zaaroor and A. Starr (Israel, U.S.A.) 572

SHORT COMMUNICATIONS

Subpially recorded cervical spinal cord evoked potentials in syringomyelia
B. Prestor, T. Žgur and V.V. Dolenc (Yugoslavia) 155
Widespread N18 in median nerve SEP is preserved in a pontine lesion
M. Sonoo, M. Sakuta, T. Shimpo, K. Genba and T. Mannen (Japan) 238
Differences of cortical activation in spontaneous and reflex myoclonias
G. Deuschl, A. Ebner, R. Hammers and C.H. Lücking (F.R.G.) 326
Auditory event-related potentials in obstructive sleep apnea: effects of treatment with nasal continuous positive airway pressure
L. Rumbach, J. Krieger and D. Kurtz (France) 454

BOOK REVIEW

Event-related potential investigations of cognition
edited by B. Renault, M. Kutas, M.G.H. Coles and A.K.W. Gaillard 80

Corrigendum 458

Announcement from the Publisher 159

Index of Authors to Volume 80 (1991) 579

Index of Subjects to Volume 80 (1991) 583

Table of Contents to Volume 80 (1991) 589